Argyranthemum frutescens

Habitus and growth type

Plant height [m]: **0.7**
Life span: **Perennial**
Life form: **Chamaephyte**

Leaf

Leaf type (woody plants only): **Other**

Flower

Flowering period: **June-November**

Fruit, seed and dispersal

Dispersal mode: **Anemochory**
Dispersal distance class: **5**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Dry**
Substrate reaction relationship: **Acidic**
Nutrient relationship: **Mesotrophic**
Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **8**
Temperature indicator value: **8**
Moisture indicator value: **4**
Reaction indicator value: **4**
Nutrient indicator value: **5**
Salinity indicator value: **0**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

Habitat and sociology

EUNIS habitat

Diagnostic species of EUNIS habitats: **N33 Macaronesian rocky sea cliff and shore**, **S64 Macaronesian garrigue**, **S81 Canarian xerophytic scrub**

Constant species of EUNIS habitats: **N33 Macaronesian rocky sea cliff and shore**, **S64 Macaronesian garrigue**, **S81 Canarian xerophytic scrub**

Dominant species of EUNIS habitats: **N33 Macaronesian rocky sea cliff and shore**

Broad habitat

Occurrence in broad habitats: **Coastal cliff, Scrub, Sparsely vegetated (incl. rock and scree)**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz