

# ***Astragalus contortuplicatus***

## **Habitus and growth type**

Life span: **Annual**

Life form: **Therophyte**

## **Trophic mode**

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **symbiosis with rhizobia**

## **Taxon origin**

Origin in Europe: **native**

## **Ecology**

Environmental relationships

Substrate humidity relationship: **Wet**

Substrate reaction relationship: **Slightly acidic to near-neutral**

Nutrient relationship: **Mesotrophic**

Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **8.3**

Temperature indicator value: **6.1**

Moisture indicator value: **7.1**

Reaction indicator value: **6**

Nutrient indicator value: **4**

Salinity indicator value: **0**

Disturbance indicator values

Disturbance frequency: **1.56**

Disturbance frequency (herb layer): **1.56**

Disturbance severity: **0.68**

Disturbance severity (herb layer): **0.68**

Mowing frequency: **0.86**

Grazing pressure: **0.2**

Soil disturbance: **0.31**

## **Habitat and sociology**

Syntaxon

Diagnostic species of phytosociological classes: [\*\*OC \(ISO\) Isoëto-Nanojuncetea\*\*](#)

Broad habitat

Occurrence in broad habitats: **Wetland**