Carex acutiformis

Habitus and growth type

Plant height [m]: **0.77**
Life span: **Perennial**
Life form: **Hemicryptophyte, Geophyte**

Leaf

Specific leaf area [mm^2/mg]:

Flower

Flowering period: **March-June**

Fruit, seed and dispersal

Seed mass [mg]: **1.01**
Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **2**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Environmental relationships

Substrate humidity relationship: **Wet**
Substrate reaction relationship: **Alkaline**
Nutrient relationship: **Mesotrophic**
Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **6.7**
Temperature indicator value: **5**
Moisture indicator value: **9.2**
Reaction indicator value: **6.5**
Nutrient indicator value: **5**
Salinity indicator value: **0.1**

Disturbance indicator values

Disturbance frequency: **0.61**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

Disturbance frequency (herb layer): **1.51**
Disturbance severity: **0.49**
Disturbance severity (herb layer): **0.34**
Mowing frequency: **0.35**
Grazing pressure: **0.16**
Soil disturbance: **0.12**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **IA (ALN) *Alnetea glutinosae***, **OD (PHR) *Phragmito-Magnocaricetea***

EUNIS habitat

Diagnostic species of EUNIS habitats: **Q53 Tall-sedge bed**, **T13 Temperate hardwood riparian forest**, **T15 Broadleaved swamp forest on non-acid peat**
Constant species of EUNIS habitats: **Q53 Tall-sedge bed**, **R35 Moist or wet mesotrophic to eutrophic hay meadow**, **S92 Salix fen scrub**, **T12 Alnus glutinosa-Alnus incana forest on riparian and mineral soils**, **T13 Temperate hardwood riparian forest**, **T15 Broadleaved swamp forest on non-acid peat**
Dominant species of EUNIS habitats: **Q53 Tall-sedge bed**, **T15 Broadleaved swamp forest on non-acid peat**

Broad habitat

Occurrence in broad habitats: **Aquatic, Wetland, Grassland (non-alpine, non-saline), Scrub, Forest**

Distribution

Continentality amplitude: **9**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz