Cassiope hypnoides

Habitus and growth type

Plant height [m]: **0.01**
Life span: **Perennial**
Life form: **Chamaephyte, Dwarf shrub**

Leaf

Specific leaf area [mm^2/mg]:

Fruit, seed and dispersal

Seed mass [mg]: **0.01**
Dispersal mode: **Anemochory**
Dispersal distance class: **5**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Mesic**

Ellenberg-type indicator values

Moisture indicator value: **5**

Disturbance indicator values

Disturbance frequency: **1.68**
Disturbance frequency (herb layer): **1.68**
Disturbance severity: **0.28**
Disturbance severity (herb layer): **0.28**
Mowing frequency: **0**
Grazing pressure: **0.23**
Soil disturbance: **0.12**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **LA (HER) *Salicetea herbaceae***

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

EUNIS habitat

Diagnostic species of EUNIS habitats: **R42 Boreal and Arctic acidophilous alpine grassland**, **U21 Boreal and Arctic siliceous scree and block field**, **U52 Polar desert**

Constant species of EUNIS habitats: **R42 Boreal and Arctic acidophilous alpine grassland**, **U21 Boreal and Arctic siliceous scree and block field**, **U52 Polar desert**

Broad habitat

Occurrence in broad habitats: **Alpine-subalpine and arctic grassland, Sparsely vegetated (incl. rock and scree)**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz