Crepis multiflora

Habitus and growth type

Life span: **Annual**
Life form: **Therophyte**

Fruit, seed and dispersal

Dispersal mode: **Anemochory**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Environmental relationships

Salinity relationship: **Slightly saline or brackish**

Ellenberg-type indicator values

Light indicator value: **6**
Temperature indicator value: **11**
Reaction indicator value: **9**
Nutrient indicator value: **6**
Salinity indicator value: **2**

Disturbance indicator values

Disturbance frequency: **0.64**
Disturbance frequency (herb layer): **1.43**
Disturbance severity: **0.67**
Disturbance severity (herb layer): **0.42**
Mowing frequency: **0.11**
Grazing pressure: **0.29**
Soil disturbance: **0.28**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **FJ (TRA) *Stipo-Trachynietea distachyae***

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz