# *Hormathophylla spinosa*

### Habitus and growth type

Plant height [m]: **0.3**
Life span: **Perennial**
Life form: **Chamaephyte**

### Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **2**

### Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

### Taxon origin

Origin in Europe: **Native**

### Ecology

#### Ellenberg-type indicator values

Light indicator value: **9**
Temperature indicator value: **4**
Moisture indicator value: **1**
Reaction indicator value: **7**
Nutrient indicator value: **2**

#### Disturbance indicator values

Disturbance frequency: **0.97**
Disturbance frequency (herb layer): **1.32**
Disturbance severity: **0.48**
Disturbance severity (herb layer): **0.4**
Mowing frequency: **0.13**
Grazing pressure: **0.28**
Soil disturbance: **0.2**

### Habitat and sociology

#### Syntaxon

Diagnostic species of phytosociological classes: **KE (THL) *Thlaspietea rotundifolii***

#### EUNIS habitat

Diagnostic species of EUNIS habitats: **S73 Western Mediterranean mountain hedgehog-heath**

*© 2014-2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*

Constant species of EUNIS habitats: **S73 Western Mediterranean mountain hedgehog-heath**

## Broad habitat

Occurrence in broad habitats: **Sparsely vegetated (incl. rock and scree)**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*