Hypericum xylosteifolium

Habitus and growth type

Plant height [m]: **0.8**
Life span: **Perennial**
Life form: **Phanerophyte, Shrub**

Flower

Flowering period: **April-July**

Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **2**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Disturbance indicator values

Disturbance frequency: **0.02**
Disturbance frequency (herb layer): **1.32**
Disturbance severity: **0.7**
Disturbance severity (herb layer): **0.11**
Mowing frequency: **0**
Grazing pressure: **0.19**
Soil disturbance: **0.1**

Habitat and sociology

EUNIS habitat

Diagnostic species of EUNIS habitats: **R53 Macaronesian thermophilous forest fringe**, **T23 Macaronesian laurophyllous forest**, **T28 Macaronesian heathy forest**
Constant species of EUNIS habitats: **R53 Macaronesian thermophilous forest fringe**, **T23 Macaronesian laurophyllous forest**, **T28 Macaronesian heathy forest**

Broad habitat

Occurrence in broad habitats: **Wetland, Grassland (non-alpine, non-saline), Scrub, Forest**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz