

# *Lysimachia vulgaris*

## Habitus and growth type

Plant height [m]: **0.84**

Life span: **Perennial**

Life form: **Hemicryptophyte, Geophyte**

## Leaf

Specific leaf area [mm<sup>2</sup>/mg]: **26.37**

## Flower

Flowering period: **May-August**

## Fruit, seed and dispersal

Seed mass [mg]: **0.28**

Dispersal mode: **Local non-specific dispersal**

Dispersal distance class: **2**

## Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## Taxon origin

Origin in Europe: **Native**

## Ecology

Environmental relationships

Substrate humidity relationship: **Wet**

Substrate reaction relationship: **Slightly acidic to near-neutral**

Nutrient relationship: **Eutrophic**

Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **6.8**

Temperature indicator value: **5.1**

Moisture indicator value: **8.6**

Reaction indicator value: **6.3**

Nutrient indicator value: **5.3**

Salinity indicator value: **0.1**

Disturbance indicator values

Disturbance frequency: **0.64**

Disturbance frequency (herb layer): **1.49**

Disturbance severity: **0.48**

Disturbance severity (herb layer): **0.34**

Mowing frequency: **0.33**

Grazing pressure: **0.17**

Soil disturbance: **0.13**

## Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: [\*\*CM \(MOL\) Molinio-Arrhenatheretea\*\*](#),  
[\*\*OD \(PHR\) Phragmito-Magnocaricetea\*\*](#)

EUNIS habitat

Diagnostic species of EUNIS habitats: [\*\*T15 Broadleaved swamp forest on non-acid peat\*\*](#)

Constant species of EUNIS habitats: [\*\*Q22 Poor fen, Q42 Extremely rich moss-sedge fen, Q51 Tall-helophyte bed, Q52 Small-helophyte bed, Q53 Tall-sedge bed, R35 Moist or wet mesotrophic to eutrophic hay meadow, R37 Temperate and boreal moist or wet oligotrophic grassland, R55 Lowland moist or wet tall-herb and fern fringe, S91 Temperate riparian scrub, S92 Salix fen scrub, T11 Temperate Salix and Populus riparian forest, T12 Alnus glutinosa-Alnus incana forest on riparian and mineral soils, T13 Temperate hardwood riparian forest, T15 Broadleaved swamp forest on non-acid peat, T16 Broadleaved mire forest on acid peat\*\*](#)

Broad habitat

Occurrence in broad habitats: **Aquatic, Wetland, Mire, Grassland (non-alpine, non-saline), Scrub, Forest**

## Distribution

Continentality amplitude: **7**