# *Omphalodes scorpioides*

## Habitus and growth type

Plant height [m]: **0.23**
Life span: **Annual, Biennial or short-lived**
Life form: **Hemicryptophyte, Therophyte**

## Fruit, seed and dispersal

Dispersal mode: **Myrmecochory**
Dispersal distance class: **3**

## Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## Taxon origin

Origin in Europe: **Native**

## Ecology

### Environmental relationships

Substrate humidity relationship: **Mesic**
Substrate reaction relationship: **Alkaline**
Nutrient relationship: **Eutrophic**
Salinity relationship: **Non-saline**

### Ellenberg-type indicator values

Light indicator value: **3.6**
Temperature indicator value: **5.9**
Moisture indicator value: **6.4**
Reaction indicator value: **7.7**
Nutrient indicator value: **7**
Salinity indicator value: **0**

### Disturbance indicator values

Disturbance frequency: **0.11**
Disturbance frequency (herb layer): **1.34**
Disturbance severity: **0.68**
Disturbance severity (herb layer): **0.22**
Mowing frequency: **0.04**
Grazing pressure: **0.16**
Soil disturbance: **0.1**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*

## Habitat and sociology

### Syntaxon

Diagnostic species of phytosociological classes: **HA (POP) *Alno glutinosae-Populetea albae***

### Broad habitat

Occurrence in broad habitats: **Forest, Synanthropic**

## Distribution

Continentality: **7**
Continentality amplitude: **2**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*