

Ranunculus flammula

Habitus and growth type

Plant height [m]: **0.25**

Life span: **Perennial**

Life form: **Hemicryptophyte**

Leaf

Specific leaf area [mm²/mg]: **17.18**

Flower

Flowering period: **May-July**

Fruit, seed and dispersal

Seed mass [mg]: **0.41**

Dispersal mode: **Local non-specific dispersal**

Dispersal distance class: **1**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Wet**

Substrate reaction relationship: **Acidic**

Nutrient relationship: **Oligotrophic**

Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **7.3**

Temperature indicator value: **5**

Moisture indicator value: **9.2**

Reaction indicator value: **3.8**

Nutrient indicator value: **2.1**

Salinity indicator value: **0.4**

Disturbance indicator values

Disturbance frequency: **1.42**

Disturbance frequency (herb layer): **1.8**

Disturbance severity: **0.41**

Disturbance severity (herb layer): **0.4**

Mowing frequency: **0.41**

Grazing pressure: **0.27**

Soil disturbance: **0.15**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: [**CM \(MOL\) Molinio-Arrhenatheretea**](#),
[**OB \(LIT\) Littorelletea uniflorae**](#), [**PA \(SCH\) Scheuchzerio palustris-Caricetea fuscae**](#)

EUNIS habitat

Diagnostic species of EUNIS habitats: [**N1H Atlantic and Baltic moist and wet dune slack**](#)

Constant species of EUNIS habitats: [**N1H Atlantic and Baltic moist and wet dune slack**](#), [**P3f Oligotrophic-water vegetation**](#), [**Q24 Intermediate fen and soft-water spring mire**](#), [**Q52 Small-helophyte bed**](#), [**R35 Moist or wet mesotrophic to eutrophic hay meadow**](#), [**R36 Moist or wet mesotrophic to eutrophic pasture**](#), [**R37 Temperate and boreal moist or wet oligotrophic grassland**](#)

Broad habitat

Occurrence in broad habitats: **Aquatic, Spring, Wetland, Mire, Grassland (non-alpine, non-saline), Forest**

Distribution

Continentality amplitude: **5**