Ranunculus rionii

Habitus and growth type

Plant height [m]: **0.4**
Life span: **Annual**
Life form: **Hydrophyte**

Leaf

Specific leaf area [mm^2/mg]:

Flower

Flowering period: **April-June**

Fruit, seed and dispersal

Dispersal mode: **Hydrochory**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Water**
Substrate reaction relationship: **Slightly acidic to near-neutral**
Nutrient relationship: **Eutrophic**
Salinity relationship: **Slightly saline or brackish**

Ellenberg-type indicator values

Light indicator value: **7.3**
Moisture indicator value: **11**
Reaction indicator value: **6.4**
Nutrient indicator value: **5.8**
Salinity indicator value: **1.4**

Disturbance indicator values

Disturbance frequency: **1.75**
Disturbance frequency (herb layer): **1.75**
Disturbance severity: **0.35**
Disturbance severity (herb layer): **0.35**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

Mowing frequency: **0.11**
Grazing pressure: **0.06**
Soil disturbance: **0.11**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **NB (POT) *Potamogetonetea***

Broad habitat

Occurrence in broad habitats: **Aquatic, Wetland**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz