Salsola aegaea

Habitus and growth type

Life span: **Perennial**
Life form: **Chamaephyte**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Environmental relationships

Salinity relationship: **Slightly saline or brackish**

Ellenberg-type indicator values

Light indicator value: **9**
Temperature indicator value: **11**
Reaction indicator value: **9**
Nutrient indicator value: **7**
Salinity indicator value: **3**

Disturbance indicator values

Disturbance frequency: **0.86**
Disturbance frequency (herb layer): **1.21**
Disturbance severity: **0.52**
Disturbance severity (herb layer): **0.44**
Mowing frequency: **0.13**
Grazing pressure: **0.21**
Soil disturbance: **0.26**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **FK (PEG) *Pegano harmalae-Salsoletea vermiculatae***

EUNIS habitat

Diagnostic species of EUNIS habitats: **S66 Mediterranean halo-nitrophilous scrub**

Broad habitat

Occurrence in broad habitats: **Scrub**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz