Thymus caespititius

Habitus and growth type

Life span: **Perennial**
Life form: **Chamaephyte**

Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Ellenberg-type indicator values

Light indicator value: **9**
Temperature indicator value: **6**
Moisture indicator value: **4**
Reaction indicator value: **2**
Nutrient indicator value: **1**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **CH (ULI) *Calluno-Ulicetea*, CK (SED) *Sedo-Scleranthetea***

EUNIS habitat

Diagnostic species of EUNIS habitats: **R1T Azorean open, dry, acid to neutral grassland, S43 Macaronesian heath**
Constant species of EUNIS habitats: **R1T Azorean open, dry, acid to neutral grassland, S43 Macaronesian heath**
Dominant species of EUNIS habitats: **S43 Macaronesian heath**

Broad habitat

Occurrence in broad habitats: **Grassland (non-alpine, non-saline), Heathland**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz