# *Verbascum phoeniceum* subsp. *phoeniceum*

### Habitus and growth type

Plant height [m]: **0.52**
Life span: **Biennial or short-lived, Perennial**
Life form: **Hemicryptophyte**

### Fruit, seed and dispersal

Seed mass [mg]: **0.11**
Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **2**

### Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

### Taxon origin

Origin in Europe: **native**

### Ecology

#### Environmental relationships

Substrate humidity relationship: **Dry**
Substrate reaction relationship: **Alkaline**
Nutrient relationship: **Oligotrophic**
Salinity relationship: **Non-saline**

#### Ellenberg-type indicator values

Light indicator value: **7.6**
Moisture indicator value: **3.1**
Reaction indicator value: **7.3**
Nutrient indicator value: **2.3**
Salinity indicator value: **0**

#### Disturbance indicator values

Disturbance frequency: **0.8**
Disturbance frequency (herb layer): **1.75**
Disturbance severity: **0.53**
Disturbance severity (herb layer): **0.44**
Mowing frequency: **0.54**
Grazing pressure: **0.34**
Soil disturbance: **0.18**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*

## Habitat and sociology

### Syntaxon

Diagnostic species of phytosociological classes: **DA (FES) *Festuco-Brometea***

### EUNIS habitat

Diagnostic species of EUNIS habitats: **R17 Heavy-metal dry grassland of the Balkans**, **R1B Continental dry grassland (true steppe)**

Constant species of EUNIS habitats: **R1B Continental dry grassland (true steppe)**

### Broad habitat

Occurrence in broad habitats: **Grassland (non-alpine, non-saline)**

## Distribution

Continentality: **8**

Continentality amplitude: **4**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*