

# ***Abies sibirica***

## **Habitus and growth type**

Plant height [m]:

Life span: **Perennial**

Life form: **Phanerophyte, Tree**

## **Fruit, seed and dispersal**

Seed mass [mg]:

Dispersal mode: **Anemochory**

Dispersal distance class: **4**

## **Trophic mode**

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## **Taxon origin**

Origin in Europe: **Native**

## **Ecology**

Disturbance indicator values

Disturbance frequency: **0.03**

Disturbance frequency (herb layer): **1.33**

Disturbance severity: **0.69**

Disturbance severity (herb layer): **0.11**

Mowing frequency: **0.01**

Grazing pressure: **0.2**

Soil disturbance: **0.1**

## **Habitat and sociology**

Syntaxon

Diagnostic species of phytosociological classes: [\*\*BB \(ASA\) Asaro europaei-Abietetea  
sibiricae\*\*](#)

EUNIS habitat

Diagnostic species of EUNIS habitats: [\*\*T3F Dark taiga\*\*](#)

Broad habitat

Occurrence in broad habitats: **Forest**