

Argyranthemum frutescens

Habitus and growth type

Plant height [m]: **0.7**

Life span: **Perennial**

Life form: **Chamaephyte**

Leaf

Leaf type (woody plants only): **Other**

Flower

Flowering period: **June-November**

Fruit, seed and dispersal

Dispersal mode: **Anemochory**

Dispersal distance class: **5**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Dry**

Substrate reaction relationship: **Acidic**

Nutrient relationship: **Mesotrophic**

Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **8**

Temperature indicator value: **8**

Moisture indicator value: **4**

Reaction indicator value: **4**

Nutrient indicator value: **5**

Salinity indicator value: **0**

Habitat and sociology

EUNIS habitat

Diagnostic species of EUNIS habitats: [N33 Macaronesian rocky sea cliff and shore](#), [S64 Macaronesian garrigue](#), [S81 Canarian xerophytic scrub](#)

Constant species of EUNIS habitats: [N33 Macaronesian rocky sea cliff and shore](#), [S64 Macaronesian garrigue](#), [S81 Canarian xerophytic scrub](#)

Dominant species of EUNIS habitats: [N33 Macaronesian rocky sea cliff and shore](#)

Broad habitat

Occurrence in broad habitats: **Coastal cliff, Scrub, Sparsely vegetated (incl. rock and scree)**