Carex extensa

Habitus and growth type

Plant height [m]: **0.27**
Life span: **Perennial**
Life form: **Hemicryptophyte**

Leaf

Specific leaf area [mm^2/mg]: **9.09**

Flower

Flowering period: **April-June**

Fruit, seed and dispersal

Seed mass [mg]: **1.17**
Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **1**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Wet**
Substrate reaction relationship: **Alkaline**
Nutrient relationship: **Mesotrophic**
Salinity relationship: **Saline**

Ellenberg-type indicator values

Light indicator value: **8.5**
Moisture indicator value: **7.3**
Reaction indicator value: **7.3**
Nutrient indicator value: **4.7**
Salinity indicator value: **5.9**

Disturbance indicator values

Disturbance frequency: **1.62**
Disturbance frequency (herb layer): **2.01**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

Disturbance severity: **0.45**
Disturbance severity (herb layer): **0.44**
Mowing frequency: **0.04**
Grazing pressure: **0.38**
Soil disturbance: **0.19**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **JB (CRI) *Crithmo-Staticetea***, **MF (JUN) *Juncetea maritimi***

EUNIS habitat

Diagnostic species of EUNIS habitats: **MA223 Atlantic upper-mid saltmarsh and saline and brackish reed, rush and sedge bed**, **MA252 Mediterranean upper-mid saltmarsh and saline and brackish reed, rush and sedge bed**, **N1E Black Sea broad-leaved coastal dune forest**
Constant species of EUNIS habitats: **MA223 Atlantic upper-mid saltmarsh and saline and brackish reed, rush and sedge bed**, **MA252 Mediterranean upper-mid saltmarsh and saline and brackish reed, rush and sedge bed**, **N1E Black Sea broad-leaved coastal dune forest**

Broad habitat

Occurrence in broad habitats: **Coastal saltmarsh, Coastal cliff, Saline vegetation, Forest, Sparsely vegetated (incl. rock and scree)**

Distribution

Continentality amplitude: **6**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz