Carex secalina

Habitus and growth type

Plant height [m]: **0.23**
Life span: **Perennial**
Life form: **Hemicryptophyte**

Fruit, seed and dispersal

Seed mass [mg]: **1.07**
Dispersal mode: **Local non-specific dispersal**
Dispersal distance class: **1**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Environmental relationships

Substrate humidity relationship: **Wet**
Substrate reaction relationship: **Alkaline**
Nutrient relationship: **Mesotrophic**

Ellenberg-type indicator values

Light indicator value: **8**
Temperature indicator value: **6.2**
Moisture indicator value: **7**
Reaction indicator value: **7**
Nutrient indicator value: **5**
Salinity indicator value: **3.2**

Disturbance indicator values

Disturbance frequency: **2.09**
Disturbance frequency (herb layer): **2.09**
Disturbance severity: **0.48**
Disturbance severity (herb layer): **0.48**
Mowing frequency: **1.04**
Grazing pressure: **0.61**
Soil disturbance: **0.15**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **DB (FEP) *Festuco-Puccinellietea***

Broad habitat

Occurrence in broad habitats: **Wetland, Saline vegetation**

Distribution

Continentality: **8**
Continentality amplitude: **5**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz