# *Cotoneaster nummularius*

### Habitus and growth type

Life span: **Perennial**
Life form: **Phanerophyte, Shrub**
Spinescence: **not spinescent**

### Fruit, seed and dispersal

Seed mass [mg]: **32.7**
Dispersal mode: **Endozoochory**
Dispersal distance class: **6**

### Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

### Taxon origin

Origin in Europe: **Native**

### Ecology

#### Environmental relationships

Substrate humidity relationship: **Dry**
Salinity relationship: **Non-saline**

#### Ellenberg-type indicator values

Light indicator value: **8**
Temperature indicator value: **8**
Moisture indicator value: **4**
Reaction indicator value: **7**
Salinity indicator value: **0**

### Habitat and sociology

#### Syntaxon

Diagnostic species of phytosociological classes: **FA (QUI) *Quercetea ilicis***

#### EUNIS habitat

Diagnostic species of EUNIS habitats: **T38 Mediterranean montane Cedrus forest**, **T3D Mediterranean Cupressaceae forest**
Constant species of EUNIS habitats: **T38 Mediterranean montane Cedrus forest**, **T3D Mediterranean Cupressaceae forest**

#### Broad habitat

Occurrence in broad habitats: **Forest**

*© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz*