

# *Crataegus germanica*

## Habitus and growth type

Plant height [m]: **4.38**

Life span: **Perennial**

Life form: **Phanerophyte, Tree**

## Leaf

Leaf type (woody plants only): **Broad deciduous or semi-deciduous**

Leaf phenology (woody plants only): **Winter deciduous**

Specific leaf area [mm<sup>2</sup>/mg]: **18.15**

## Flower

Flowering period: **April-June**

## Fruit, seed and dispersal

Seed mass [mg]: **60.83**

Dispersal mode: **Endozoochory, Anthropochory**

Dispersal distance class: **6, 7**

## Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## Taxon origin

Origin in Europe: **Native**

## Ecology

Environmental relationships

Substrate humidity relationship: **Dry**

Substrate reaction relationship: **Slightly acidic to near-neutral**

Nutrient relationship: **Mesotrophic**

Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **5.8**

Moisture indicator value: **4.5**

Reaction indicator value: **5.4**

Nutrient indicator value: **4.3**

Salinity indicator value: **0**

Disturbance indicator values

Disturbance frequency: **0.02**  
Disturbance frequency (herb layer): **1.29**  
Disturbance severity: **0.69**  
Disturbance severity (herb layer): **0.11**  
Mowing frequency: **0**  
Grazing pressure: **0.2**  
Soil disturbance: **0.1**

### **Habitat and sociology**

Syntaxon

Diagnostic species of phytosociological classes: [CA \(FAG\) \*Carpino-Fagetea sylvaticae\*](#),  
[CD \(RHA\) \*Crataego-Prunetea\*](#)

Broad habitat

Occurrence in broad habitats: **Scrub, Forest**

### **Distribution**

Continentality: **6**

Continentality amplitude: **3**