

Dioscorea balcanica

Habitus and growth type

Life span: **Perennial**

Life form: **Hemicryptophyte, Geophyte, Herbaceous liana**

Fruit, seed and dispersal

Dispersal mode: **Endozoochory**

Dispersal distance class: **6**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Ellenberg-type indicator values

Light indicator value: **5.9**

Temperature indicator value: **6.8**

Moisture indicator value: **4.6**

Reaction indicator value: **6.6**

Nutrient indicator value: **4.5**

Salinity indicator value: **0**

Disturbance indicator values

Disturbance frequency: **0.03**

Disturbance frequency (herb layer): **1.27**

Disturbance severity: **0.69**

Disturbance severity (herb layer): **0.1**

Mowing frequency: **0**

Grazing pressure: **0.2**

Soil disturbance: **0.09**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: [CA \(FAG\) Carpino-Fagetea sylvaticae](#)

Broad habitat

Occurrence in broad habitats: **Forest**