Jacobaea erucifolia

Habitus and growth type

Plant height [m]: **0.73**
Life span: **Perennial**
Life form: **Hemicryptophyte**

Leaf

Specific leaf area [mm^2/mg]: **14.87**

Flower

Flowering period: **June-September**

Fruit, seed and dispersal

Seed mass [mg]: **0.34**
Dispersal mode: **Anemochory**
Dispersal distance class: **5**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Mesic**
Substrate reaction relationship: **Alkaline**
Nutrient relationship: **Mesotrophic**
Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **7.3**
Temperature indicator value: **6**
Moisture indicator value: **4.4**
Reaction indicator value: **7.8**
Nutrient indicator value: **4.5**
Salinity indicator value: **0.2**

Disturbance indicator values

Disturbance frequency: **1.32**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz

Disturbance frequency (herb layer): **1.83**
Disturbance severity: **0.53**
Disturbance severity (herb layer): **0.5**
Mowing frequency: **0.82**
Grazing pressure: **0.22**
Soil disturbance: **0.25**

Habitat and sociology

Broad habitat

Occurrence in broad habitats: **Aquatic, Mire, Grassland (non-alpine, non-saline), Scrub, Forest, Sparsely vegetated (incl. rock and scree), Synanthropic**

Distribution

Continentality: **7**
Continentality amplitude: **7**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz