

# ***Lobelia dortmanna***

## **Habitus and growth type**

Plant height [m]: **0.04**

Life span: **Perennial**

Life form: **Hydrophyte**

## **Leaf**

Specific leaf area [mm<sup>2</sup>/mg]: **19.51**

## **Fruit, seed and dispersal**

Seed mass [mg]: **0.05**

Dispersal mode: **Local non-specific dispersal**

Dispersal distance class: **1**

## **Trophic mode**

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## **Taxon origin**

Origin in Europe: **native**

## **Ecology**

### **Environmental relationships**

Substrate humidity relationship: **Water**

Substrate reaction relationship: **Slightly acidic to near-neutral**

Nutrient relationship: **Dystrophic**

Salinity relationship: **Non-saline**

### **Ellenberg-type indicator values**

Light indicator value: **7.7**

Temperature indicator value: **4.5**

Moisture indicator value: **10.8**

Reaction indicator value: **5**

Nutrient indicator value: **1.3**

Salinity indicator value: **0**

### **Disturbance indicator values**

Disturbance frequency: **1.34**

Disturbance frequency (herb layer): **1.34**

Disturbance severity: **0.12**

Disturbance severity (herb layer): **0.12**

Mowing frequency: **0.03**

Grazing pressure: **0.02**

Soil disturbance: **0.03**

## Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: [OB \(LIT\) Littorelletea uniflorae](#)

EUNIS habitat

Diagnostic species of EUNIS habitats: [Ph Oligotrophic-water vegetation](#)

Broad habitat

Occurrence in broad habitats: **Aquatic**

## Distribution

Continentality: **4**

Continentality amplitude: **4**