Puccinellia phryganodes

Habitus and growth type

Life span: **Perennial**
Life form: **Hemicryptophyte**

Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**
Carnivory: **non-carnivorous**
Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Disturbance indicator values

Disturbance frequency: **2.22**
Disturbance frequency (herb layer): **2.22**
Disturbance severity: **0.5**
Disturbance severity (herb layer): **0.5**
Mowing frequency: **0.01**
Grazing pressure: **0.39**
Soil disturbance: **0.2**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: **MF (JUN) *Juncetea maritimi***

EUNIS habitat

Diagnostic species of EUNIS habitats: **MA211 Arctic coastal saltmarsh**
Constant species of EUNIS habitats: **MA211 Arctic coastal saltmarsh**
Dominant species of EUNIS habitats: **MA211 Arctic coastal saltmarsh**

Broad habitat

Occurrence in broad habitats: **Coastal saltmarsh**

© 2014–2026 Pladias – Citation: Pladias – Database of the Czech Flora and Vegetation. www.pladias.cz