

# *Saxifraga tenuis*

## Habitus and growth type

Life span: **Perennial**

Life form: **Hemicryptophyte**

## Fruit, seed and dispersal

Dispersal mode: **Local non-specific dispersal**

Dispersal distance class: **1**

## Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## Taxon origin

Origin in Europe: **native**

## Ecology

Environmental relationships

Substrate humidity relationship: **Mesic**

Ellenberg-type indicator values

Moisture indicator value: **5**

Disturbance indicator values

Disturbance frequency: **1.61**

Disturbance frequency (herb layer): **1.61**

Disturbance severity: **0.17**

Disturbance severity (herb layer): **0.17**

Mowing frequency: **0**

Grazing pressure: **0.12**

Soil disturbance: **0.14**

## Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: [\*\*AB \(KOB\) \*Carici rupestris-Kobresietea bellardii\*\*\*](#), [\*\*LA \(HER\) \*Salicetea herbaceae\*\*\*](#)

EUNIS habitat

Diagnostic species of EUNIS habitats: [\*\*R41 Snow-bed vegetation\*\*](#)

Broad habitat

Occurrence in broad habitats: **Alpine-subalpine and arctic grassland**