

Spermatophytina

Habitus and growth type

Plant height [m]: **1.59**

Life span: **Annual, Biennial or short-lived, Perennial**

Life form: **Phanerophyte, Chamaephyte, Hemicryptophyte, Geophyte, Hydrophyte, Therophyte, Epiphyte, Tree, Shrub, Woody liana, Dwarf shrub, Herbaceous liana**

Spinescence: **spinescent**

Leaf

Leaf type (woody plants only): **Needle-like, Scale-like, Broad deciduous or semi-deciduous, Sclerophyllous, Laurophyllous, Other**

Leaf phenology (woody plants only): **Evergreen, Winter deciduous, Winter semi-deciduous, Drought semi-deciduous**

Specific leaf area [mm²/mg]: **20.8**

Fruit, seed and dispersal

Seed mass [mg]: **70.7**

Trophic mode

Carnivory: **carnivorous**

Taxon origin

Origin in Europe: **Native, Archeophyte, Neophyte**

Ecology

Environmental relationships

Substrate humidity relationship: **Dry, Mesic, Wet, Water**

Substrate reaction relationship: **Acidic, Slightly acidic to near-neutral, Alkaline**

Nutrient relationship: **Dystrophic, Oligotrophic, Mesotrophic, Eutrophic, Hypertrophic**

Salinity relationship: **Non-saline, Slightly saline or brackish, Saline**

Habitat and sociology

Broad habitat

Occurrence in broad habitats: **Marine, Coastal saltmarsh, Coastal beach, dune or shingle, Coastal cliff, Aquatic, Spring, Wetland, Mire, Grassland (non-alpine, non-saline), Alpine-subalpine and arctic grassland, Saline vegetation, Semi-desert, Heathland, Oromediterranean scrub, Scrub, Forest, Sparsely vegetated (incl. rock and scree), Synanthropic**