

Juncus bulbosus

Habitus and growth type

Plant height [m]: **0.12**

Life span: **Perennial**

Life form: **Hemicryptophyte, Hydrophyte**

Leaf

Specific leaf area [mm²/mg]: **19.19**

Flower

Flowering period: **May-July**

Fruit, seed and dispersal

Seed mass [mg]: **0.13**

Dispersal mode: **Local non-specific dispersal**

Dispersal distance class: **1**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **native**

Ecology

Environmental relationships

Substrate humidity relationship: **Water**

Substrate reaction relationship: **Acidic**

Nutrient relationship: **Oligotrophic**

Salinity relationship: **Non-saline**

Ellenberg-type indicator values

Light indicator value: **7.4**

Temperature indicator value: **5.5**

Moisture indicator value: **9.4**

Reaction indicator value: **4**

Nutrient indicator value: **2.4**

Salinity indicator value: **0.2**

Disturbance indicator values

Disturbance frequency: **1.32**

Disturbance frequency (herb layer): **1.45**

Disturbance severity: **0.24**

Disturbance severity (herb layer): **0.22**

Mowing frequency: **0.14**

Grazing pressure: **0.13**

Soil disturbance: **0.15**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: [PA \(SCH\) *Scheuchzerio palustris-Caricetea fuscae*](#)

EUNIS habitat

Diagnostic species of EUNIS habitats: [Ph Oligotrophic-water vegetation](#), [Pi Dystrophic-water vegetation](#), [Q24 Intermediate fen and soft-water spring mire](#)

Constant species of EUNIS habitats: [Ph Oligotrophic-water vegetation](#), [Pi Dystrophic-water vegetation](#), [Q24 Intermediate fen and soft-water spring mire](#)

Dominant species of EUNIS habitats: [Ph Oligotrophic-water vegetation](#)

Broad habitat

Occurrence in broad habitats: **Aquatic, Wetland, Mire, Grassland (non-alpine, non-saline)**

Distribution

Continentality: **4**

Continentality amplitude: **4**