

Lemna gibba

Habitus and growth type

Plant height [m]: **0.01**

Life span: **Perennial**

Life form: **Hydrophyte**

Leaf

Specific leaf area [mm²/mg]: **24.45**

Flower

Flowering period: **April-October**

Fruit, seed and dispersal

Dispersal mode: **Epizoochory**

Dispersal distance class: **6**

Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

Taxon origin

Origin in Europe: **Native**

Ecology

Environmental relationships

Substrate humidity relationship: **Water**

Substrate reaction relationship: **Alkaline**

Nutrient relationship: **Eutrophic**

Salinity relationship: **Slightly saline or brackish**

Ellenberg-type indicator values

Light indicator value: **7.7**

Temperature indicator value: **5.8**

Moisture indicator value: **11.3**

Salinity indicator value: **0.7**

Disturbance indicator values

Disturbance frequency: **1.63**

Disturbance frequency (herb layer): **1.64**

Disturbance severity: **0.27**

Disturbance severity (herb layer): **0.27**

Mowing frequency: **0.08**

Grazing pressure: **0.03**

Soil disturbance: **0.04**

Habitat and sociology

Syntaxon

Diagnostic species of phytosociological classes: [**NA \(LEM\) Lemnetea**](#)

EUNIS habitat

Diagnostic species of EUNIS habitats: [**P3b Fresh-water small pleustophyte vegetation**](#)

Constant species of EUNIS habitats: [**P3b Fresh-water small pleustophyte vegetation**](#)

Dominant species of EUNIS habitats: [**P3b Fresh-water small pleustophyte vegetation**](#)

Broad habitat

Occurrence in broad habitats: **Aquatic, Wetland**

Distribution

Continentality amplitude: **6**