

# *Salvia glutinosa*

## Habitus and growth type

Plant height [m]: **0.57**

Life span: **Perennial**

Life form: **Hemicryptophyte**

## Leaf

Specific leaf area [mm<sup>2</sup>/mg]: **54.74**

## Flower

Flowering period: **May-September**

## Fruit, seed and dispersal

Seed mass [mg]: **4.67**

Dispersal mode: **Epizoochory**

Dispersal distance class: **6**

## Trophic mode

Parasitism and mycoheterotrophy: **autotroph**

Carnivory: **non-carnivorous**

Symbiotic nitrogen fixation: **no nitrogen-fixing symbionts**

## Taxon origin

Origin in Europe: **Native**

## Ecology

### Environmental relationships

Substrate humidity relationship: **Mesic**

Substrate reaction relationship: **Alkaline**

Nutrient relationship: **Eutrophic**

Salinity relationship: **Non-saline**

### Ellenberg-type indicator values

Light indicator value: **4.2**

Temperature indicator value: **5.1**

Moisture indicator value: **6.1**

Reaction indicator value: **7**

Nutrient indicator value: **7**

Salinity indicator value: **0**

### Disturbance indicator values

Disturbance frequency: **0.06**

Disturbance frequency (herb layer): **1.32**  
Disturbance severity: **0.69**  
Disturbance severity (herb layer): **0.16**  
Mowing frequency: **0.02**  
Grazing pressure: **0.19**  
Soil disturbance: **0.11**

## Habitat and sociology

### Syntaxon

Diagnostic species of phytosociological classes: [CA \(FAG\) \*Carpino-Fagetea sylvaticae\*](#),  
[QG \(EPI\) \*Epilobietea angustifolii\*](#)

### EUNIS habitat

Diagnostic species of EUNIS habitats: [T1F Ravine forest](#), [T1G \*Alnus cordata\* forest](#)

Constant species of EUNIS habitats: [T17 \*Fagus\* forest on non-acid soils](#), [T1F Ravine forest](#), [T1G \*Alnus cordata\* forest](#), [T32 Temperate mountain \*Abies\* forest](#)

### Broad habitat

Occurrence in broad habitats: **Wetland, Grassland (non-alpine, non-saline), Scrub, Forest, Synanthropic**

## Distribution

Continentality: **5**  
Continentality amplitude: **4**